

To: Mahler, Tom[mahler.tom@epa.gov]
From: Monnig, Rob
Sent: Fri 12/16/2016 8:52:49 PM
Subject: RE: Bridgeton Dust QAPP

Sounds good. I'll check email later. Call or text if you need anything ASAP—I can break away if needed.

From: Mahler, Tom [mailto:mahler.tom@epa.gov]
Sent: Friday, December 16, 2016 2:52 PM
To: Monnig, Rob <rob.monnig@tetrattech.com>
Subject: Re: Bridgeton Dust QAPP

No problem, Rob.

Thanks for all your hard work again.

I don't have todd's comments yet either.

I'll send out any final instructions later today.

Tom

Sent from my iPhone

On Dec 16, 2016, at 2:49 PM, Monnig, Rob <rob.monnig@tetrattech.com> wrote:

Tom – I haven't seen Todd's comments yet. But here's the latest. We're having a small holiday work function this afternoon, so I might have to look at Todd's comments later this evening or tomorrow (which is no problem). Obviously if it's something minor and you just want to change it before sending for review—feel free. I'll continue with the last internal review so that it can be ready for signature on Monday.

Rob

Rob Monnig, PE | Chemical Engineer

415 Oak Street | Kansas City, Missouri 64106 | www.tetratech.com
Direct: 816.412.1775 | Main: 816.412.1741 | Mobile: 816.729.5621 | Fax: 816.410.1748

Tetra Tech | Complex World, Clear Solutions™

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

<QAPP for Pre-CERCLIS Screening at Bridgeton Dust Site_2016_12_16.doc>